

# Receiving Report

Date: 12/10/15  
 Supplier: MANNON

Batch No: m123303  
 Dart P/O: 18063

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☐ No ☒  
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐ N/A ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC6 Inspection: 12/10/15 N/A ☒  
 Work Order: 89 N/A ☒

## Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
m304TR1-000-045		40	0	0	48	
m6061TR700-065		72	48	0	24	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 12/10/15  
 Date  
 Received/Costing  
 Initial

Location \_\_\_\_\_

## Page 1 of 1

All amounts are calculated in domestic currency.

### All Line Item Types

## All Currencies

## Grouped by Vendor ID

<b>Total Received Quantity:</b>	1,752.0000
<b>Total Qty to Inspect (PO U/M):</b>	0.0000
<b>Total Reject Quantity:</b>	0.0000
<b>Total Receipt Value:</b>	\$3,907.99
<b>Total Balance Due Quantity:</b>	24.0000



# Marmon/Keystone Canada Inc.

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay  
Boucherville QU CAN J4B 5X9  
TEL. 514/527-9153  
FAX. 450/641-4357

## PACKING SLIP

PAGE... 1  
Order : 17148  
Date... 10/10/2012

### SOLD TO:

DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

### SHIPPED TO:

DART AEROSPACE LTD  
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIP VIA		F.O.B.		SALESPERSON		YOUR ORDER NO.	
TST OVERLAND #222212		BOUCHERVILLE		C. Gee		PO18063	
Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered			
01	24 /FT ALUMINUM SMLS TUBE ATS 1.750 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#.: M6061T6T1.750W.065 Total...		0/FT	24 FT			
02	1000 /FT STAINLESS STEEL TUBE A554 304 ORN. TUBE 3/4" X 3/4" X .065 A554 STO .750 .750 .065 304APC Tariff Number: 7306.40.00.10 Cust. part#.: M304TS0.750W.065 HT#.....: C5X1 Total...	50 50	1000/FT 1000/FT	✓			
03	408 /FT ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.00 Cust. part#.: M6061T6T0.375W.058 HT#.....: F0013715 Total...	34 34	408/FT 408/FT	✓			
04	96 /FT ALUMINUM SMLS TUBE ATS 1.000 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#.: M6061T6T1.000W065 HT#.....: F00015667 Total...	8 8	96/FT 96/FT	✓			
05	48 /FT ALUMINUM SMLS TUBE ATS 1.750 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#.: M6061T6T1.750W.065 HT#.....: F00007748 Total...	4 4	48/FT 48/FT	✓			
06	200 /FT STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L Tariff Number: 7304.41.19.90 Cust. part#.: M304TR0.500W.035 HT#.....: YT0674 Total...	10 10	200/FT 200/FT	✓			

*Signature*

No. of Crate/Pieces 1 / 0

Total Weight.....: 710

Customers.: \_\_\_\_\_



A Marmon Distribution Services/Berkshire Hathaway Company

**CERTIFICATE OF COMPLIANCE**

We hereby certify that the material listed below has been used to produce stainless steel tubing in accordance with specifications outlined in ASTM A554-03/EN 10204 3.1.

Type: 304  
Size: 0.750"x 0.750"x 0.065"x 240.000"  
Finish: As Welded  
Your P.O. #: MX4057  
Item Code: STO.750.750.065

**HEAT NO.: C5X1****COIL NO.: 05C5X1 A****CHEMICAL ANALYSIS (%):**

C	Mn	P	S	Si	Cr	Mo	Ni
0.0570	1.7080	0.0390	0.0010	0.3840	18.1780	N/R	8.1820
Cu	Ti	Al	N	Co	Cb		
N/R	N/R	N/R	0.0620	N/R	N/R		

**MECHANICAL PROPERTIES:**

**YIELD STRENGTH**  
P.S.I.  
51440

**TENSILE STRENGTH**  
P.S.I.  
99030

**ELONGATION**  
%  
48.50


**HARDNESS**  
87.5 HRB

DA  
14  
2-89 12/10/15

*Mercury has not been used as an alloying material nor is it present in our processing methods.*

Date: 07/11/2012

Rob Kaminski  
Metallurgical Lab Technician



# KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
5205 KAISER DRIVE  
KALAMAZOO, MI 49048

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 61-17107-1		CUSTOMER PART NUMBER: AT/.375.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 606551	LINE ITEM: 001	SHIP DATE: 01/04/2012	KAISER LOT NUMBER: F00013715	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 629.000 LB	QUANTITY: 776.000 PCS	B/L NUMBER: 602261	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

### Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
* F00013715	0001	1	46.3	42.9	12.0	N/A	N/A	N/A
* F00013715	0002	1	46.2	42.9	12.3	N/A	N/A	N/A
* F00013715	0003	1	45.8	43.0	15.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69881	.58	.26	.22	.06	.98	.07	.09	.02	.00	.00	.00	.01	.02
D69877	.57	.31	.25	.05	.96	.07	.06	.02	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: MADE IN USA  
OD: 0.375"; Wall: 0.058"; Round @  
AMS-4082P ASTM-B210-04 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR  
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,  
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.  
COMPLIES TO DIN EN 10204 JAN 2005  
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014  
No Weld Repair. Mercury Free.



### Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

DAS  
14  
9-89

Plant Serial: 00022757  
Kaiser Order Number: 606551  
Line Item: 001

ATS  
.375  
.058  
D6061

# **KAISER ALUMINUM**

**FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
5205 KAISER DRIVE  
KALAMAZOO, MI 49048

*Best in Class*

## **CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

### **CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

*Alex Yeh*

**Q. C. REVIEWED**

# KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
5205 KAISER DRIVE  
KALAMAZOO, MI 49048

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 61-18028-1		CUSTOMER PART NUMBER: AT/1..065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 623471	LINE ITEM: 001	SHIP DATE: 08/13/2012	KAISER LOT NUMBER: F00015667	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 655.000 LB	QUANTITY: 243.000 PCS	B/L NUMBER: 604145	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO:  MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO:  MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 305 BOLINGBROOK, IL 60440 USA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00015667	0001	1	42.6	39.3	17.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D70195	.64	.32	.23	.05	1.00	.08	.07	.02	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: MADE IN USA  
 OD: 1.000"; Wall: 0.065"; Round @  
 AMS-4082P ASTM-B210-04 WW-T-700/6F  
 WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
 THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR  
 CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,  
 WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.  
 COMPLIES TO DIN EN 10204 JAN 2005  
 COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014  
 No Weld Repair. Mercury Free.

### Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER,AZ) MELTED IN USA

DAS  
14  
9-89 12/10/15

Plant Serial: 00055337  
 Kaiser Order Number: 623471  
 Line Item: 001

# **KAISER**

## **ALUMINUM**

### **FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
5205 KAISER DRIVE  
KALAMAZOO, MI 49048

## **CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

### **CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Calvin Latting, Quality & Technology Manager

*Calvin Latting*





# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

**CERTIFIED TEST REPORT**  
<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 60-9946-4		CUSTOMER PART NUMBER: AT/1.75.065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 205199	LINE ITEM: 004	SHIP DATE: 04/17/2010	KAISER LOT NUMBER: F00007748	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 612.000 LB	QUANTITY: 126.000 PCS	B/L NUMBER: 204403	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA			SOLD TO:  MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

## Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%TACS	BEND
F00007748	0001	1	47.7	44.3	17.0	N/A	N/A	N/A
F00007748	0002	1	47.9	44.9	18.0	N/A	N/A	N/A

## Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D68099	.59	.33	.22	.05	.99	.09	.06	.02	.00	.00	.00	.00	.02
D67819	.64	.36	.23	.05	1.00	.08	.07	.02	.00	.00	.00	.01	.02

DAS  
14  
12/16/15

## CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Plant Serial: 00006809

Kaiser Order Number: 205199

Line Item: 004

*Christopher J. Garcia*  
*ATG 1.750 .065 D6061 T6*

Page 1 of 2

OR. REF:  
SLSPRS:

TO:

INIT.:

10/12/2010 FROM: MARMON/KEYSTONE CORPORATION

M/K OR: 6131483

C PART:

C.P.O.:

# KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

*Best in Class*

**CERTIFIED TEST REPORT**  
<http://Certs.KaiserAluminum.com>

## Applicable Requirements:

Description: MADE IN USA  
OD: 1.750"; Wall: 0.065"; Round @  
AMS-4082P ASTM-B210-04 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.  
THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR  
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,  
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B.  
COMPLIES TO DIN EN 10204 JAN 2005  
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014  
No Weld Repair. Mercury Free.

## Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

QC REVIEWED

OCT 21 2010

*AKL*

DAS  
14  
2-89 12/10/15

## CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

*Christopher J. Garcia*

Page 2 of 2

Plant Serial: 00006809

Kaiser Order Number: 205199

Line Item: 004

OR REF  
SLSPRS

To:

INIT.::

10/12/2010 From: MARMON/KEYSTONE CORPORATION

M/K OR#6131483

C.P.O.::

C PART#



# SHANGHAI CRYSTAL PALACE PIPE CO., LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE: 201302

CRYSTAL PALACE

## MILL TEST CERTIFICATE

ISO9001:2000 PED Material Certificate (No.: QAC0021058/A)

DATE OF ISSUE: 2010/6/24

CUSTOMER: MARMON/KEYSTONE CANADA INC										CERTIFICATE NO.: 2010-3-5-B-5					
P.O. NO.: BN6680										ORDER NO.: 2010-03-005-B					
COMMODITY: STAINLESS STEEL SEAMLESS TUBING										GRADE: ASTM A213-07/ASME SA213-07 TP304/TP304L					
CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT										HEAT NO.: YT0674					
CHEMICAL CONTENTS (WT%)															
ELEMENTS		C		Mn		P		S		Si		Ni		Cr	
SPECIFICATION		$\leq 0.035$		$\leq 2.00$		$\leq 0.040$		$\leq 0.030$		$\leq 0.75$		8.0~12.0		18.0~20.0	
RESULTS (LADLE)		0.022		0.82		0.039		0.004		0.46		8.06		18.12	
PHYSICAL PROPERTIES															
Dimensions				Bundle No.		Pieces		Weight (kg)		0.2%YS (Mpa)		TS (Mpa)		EL (%)	
O.D (inch)		W.T (inch)		Length (feet)											
0.500		0.035		20		P10-5-66		500		797		340		685	
REMARKS:															
AS PER ASTM A213/ASME SA213-07															
WALL THICKNESS TOLERANCE AS PER ASTM A269-07															
IN COMPLIANCE TO NACE MR0175-2003															
IC TEST TO ASTM A262 PRACTICE E															
SOLUTION HEAT TREATMENT: 1050°C X 1.5min															
NO WELD REPAIR WAS PERFORMED															
FREE FROM MERCURY CONTAMINATION															
COUNTRY OF ORIGIN: CHINA															
MILL TEST CERTIFICATE TO EN 10204/3.1															
INVOICE NO.: YK-10-06-62															
1. WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE PURCHASE ORDER OR CONTRACT															
2. THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE COMPANY.															
SHANGHAI CRYSTAL PALACE PIPE CO., LTD															
MANAGER OF QUALITY ASSURANCE DEPARTMENT															
QC REVIEWED															
AUG 11 2010															
174															

DA 14 12/10/15

**DART**  
aerospaceDart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053**PURCHASE ORDER**Purchase Order ID **PO18063**

Purchase Order Date 10/03/12

PO Print Date 10/03/12

Page Number 1 of 3

**Order From :**

VC-MAR001

MARCON/KEYSTONE CANADA LTD.  
290 CHEMIN DU TREMBLAY  
BOUCHERVILLE, QC J4B 5X9  
CA**Contact Name**

Vendor Phone 800 361 8142

Vendor Fax 450 641 4357

Vendor Account Nbr

**Buyer**

Chantal Lavoie

**Requisition Nbr**

Tax Resale Nbr 10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

M123303

**Ship To :**

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA**FAKED**  
02/11/12

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304TR0.500W.035 017	304 RD Tube .500 x .035W	10/05/12 Yes	✓ 200.00 f	TST ground	\$0.8400	\$168.00
<b>Special Inst:</b> MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER A213 OR ASME SA213 OR ASTM A269							
2	M304TR1.000W.049	304 RD Tube 1.00 x .049W	10/05/12 Yes	40.00 f	TST ground	\$1.8700	\$74.80
<b>Special Inst:</b> MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER A213 OR ASME SA213 OR ASTM A269							
3	M304TS0.750W.065 018	304 SQ Tube .75x.75x.065W	10/05/12 Yes	✓ 1,000.00 f	TST ground	\$2.2000	\$2,200.00

12/11/15

**MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY**No substitution or deviation without  
consent.Certificate of Conformity or Material  
Certification required - YES NO

Change Nbr: 1

Change Date: 10/03/12

**Order From :**MARMON/KEYSTONE CANADA LTD.  
290 CHEMIN DU TREMBLAY  
BOUCHERVILLE, QC J4B 5X9  
CA

VC-MAR001

**Contact Name****Vendor Phone** 800 361 8142**Vendor Fax** 450 641 4357**Vendor Account Nbr****Buyer**

Chantal Lavoie

**Requisition Nbr****Tax Resale Nbr**

10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

**Special Inst:**MATERIAL: AISI 304/316 SEAMLESS  
STAINLESS  
STEEL SQUARE TUBING AS PER ASTM  
A554 MILL FINISH  
OR ASTM A260 MILL FINISH

4 M6061T6T0.375W.058

6061-T6 RD Tube .375  
x.058W

10/05/12

400.00 TST ground

\$1.9500

\$780.00

Yes

**Special Inst:**MATERIAL: 6061-T6 OR 6061-T62  
TUBING PER  
WW-T-700/6 OR AMS 4080 OR AMS 4082  
OR  
QQ-A-200/8 OR QQ-A-225/8

5 M6061T6T1.000W065

6061T6 RD TUBE 1.00 x  
.065w

10/05/12

96.00 TST ground

\$3.9200

\$376.32

Yes

**Special Inst:**MATERIAL: 6061-T6 OR 6061-T62  
TUBING PER  
WW-T-700/6 OR AMS 4080 OR AMS 4082  
OR  
QQ-A-200/8 OR QQ-A-225/8

6 M6061T6T1.750W.065

6061T6 RDTUBE 1.750 X  
0.65W

10/05/12

72.00 TST ground

\$6.3000

\$453.60

Yes

**MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY****Special Inst:**MATERIAL: 6061-T6 OR 6061-T62  
TUBING PER  
WW-T-700/6 OR AMS 4080 OR AMS 4082  
OR  
QQ-A-200/8 OR QQ-A-225/8No substitution or deviation without  
consent.Certificate of Conformity or Material  
Certification required **YES** NO**Change Nbr:** 1**Change Date:** 10/03/12

**DART**  
aerospaceDart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053**PURCHASE ORDER**Purchase Order ID **PO18063**

Purchase Order Date 10/03/12

PO Print Date 10/03/12

Page Number 3 of 3

**Order From :**

VC-MAR001

MARMON/KEYSTONE CANADA LTD.  
290 CHEMIN DU TREMBLAY  
BOUCHERVILLE, QC J4B 5X9  
CA**Contact Name****Vendor Phone**

800 361 8142

**Vendor Fax**

450 641 4357

**Vendor Account Nbr****Buyer**

Chantal Lavoie

**Requisition Nbr****Tax Resale Nbr**

10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

**PO Total:****\$4,052.72****MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY**

Change Nbr: 1

Change Date: 10/03/12

No substitution or deviation without  
consent.Certificate of Conformity or Material  
Certification required **YES** NO